

10/12/99
Jc598 U.S. PTO

LAW OFFICES
SUGHRUE, MION, ZINN, MACPEAK & SEAS, PLLC

2100 PENNSYLVANIA AVENUE, N.W.
WASHINGTON, D.C. 20037-3202
TELEPHONE (202) 293-7060
FACSIMILE (202) 293-7860

Jc598 U.S. PTO
09/14/99
10/12/99

A

CALIFORNIA OFFICE

1010 EL CAMINO REAL
MENLO PARK, CA 94025
TELEPHONE (650) 325-5800
FACSIMILE (650) 325-6606

BOX: PATENT APPLICATION

Assistant Commissioner for Patents
Washington, D.C. 20231

October 12, 1999

JAPAN OFFICE

TOEI NISHI SHIMBASHI BLDG. 4F
13-5 NISHI SHIMBASHI 1-CHOME
MINATO-KU, TOKYO 105, JAPAN
TELEPHONE (03) 3503-3760
FACSIMILE (03) 3503-3756

Re: Application of Masato SOME and Seishi IKAMI
METHOD AND APPARATUS FOR CORRECTING DISTORTION ABERRATION IN POSITION AND DENSITY IN DIGITAL IMAGE BY USING DISTORTION ABERRATION CHARACTERISTIC
Our Reference: Q56206

Dear Sir:

Attached hereto is the application identified above including the specification, claims, five (5) sheets of drawings and one (1) priority document. The requisite U.S. Government Filing Fee, executed Declaration and Power of Attorney and Assignment will be submitted at a later date.

The Government filing fee is calculated as follows:

Total Claims	8 - 20 =	0 x \$18 =	\$ 000.00
Independent Claims	2 - 3 =	0 x \$78 =	\$ 000.00
Base Filing Fee	(\$760.00)		\$ 760.00
Multiple Dep. Claim Fee	(\$260.00)		\$ 000.00
TOTAL FILING FEE			\$ 760.00

Priority is claimed from:

Japanese Patent Application

289269/1998

Filing Date

October 12, 1998

Respectfully submitted,
SUGHRUE, MION, ZINN, MACPEAK & SEAS
Attorneys for Applicant(s)

By: *Daryl M. Meyer*
Daryl M. Meyer
Reg. No. 23,063

DM:tnj